## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions of claims in the application:

## Listing of Claims:

(Currently Amended) A system <u>comprising computer executable instructions</u>
 embodied on <u>at least one of</u> a computer readable <u>media providing non-volatile storage or system memory storage medium</u> that facilitates search query results, comprising:

a client-side receiving component that accepts at least one query result from at least one search service; and

a client-side processing component that provides user-dependent query result information derived from the query result accepted by the client-side receiving component, the user-dependent query result information includes an indication of percentage of the quantity of a single content type as compared to a total of all content within at least one linked document in the query result, wherein the percentage is at least one of stored on a computer readable media storage medium, displayed on a display device, employed by one or more processes executed on one or more processors, or transmitted between two or more processes executing on one or more processors.

- (Original) The system of claim 1, the user-dependent query result information comprising query result information derived from a user model.
- (Original) The system of claim 2, the user model comprising a model that utilizes, at least in part, information related to at least one selected from the group consisting of a user context, a user profile, and a user query result rule.
- (Original) The system of claim 1, the client-side processing component provides the user-dependent query result information via at least one visual indicator.

- (Original) The system of claim 4, the visual indicator comprising at least one selected from the group consisting of highlighting, color, intensity of color, geometric shape, and quantity of geometric shapes.
- (Original) The system of claim 1, the client-side processing component provides the user-dependent query result information via at least one aural indicator.
- (Original) The system of claim 1, the client-side processing component derives
  the user-dependent query result information via evaluation of at least one link provided by the
  query result.
- (Original) The system of claim 7, the evaluation of at least one link comprising a
  determination as to whether the link corresponds to at least one selected from the group
  consisting of a document with text and a document with links.
- (Previously Presented) The system of claim 1, the content type is at least one of text, graphics, and links.
  - (Currently Amended) A method for facilitating search query results, comprising: receiving at least one query result from at least one search service; and

providing user-dependent query result information derived from the query result; the user-dependent query result information determined *via* client-side processing, the user-dependent query result information including a list of names of at least one of people or companies extracted from the at least one search result, each name includes one or more links to documents related to the person or company associated with the name, wherein the list of names is at least one of stored on a computer readable storage medium, displayed on a display device, employed by one or more processes executed on one or more processors, or transmitted between two or more processes executing on one or more processors.

 Original) The method of claim 10, the user-dependent query result information comprising query result information based on a user model.

- 12. (Original) The method of claim 11, the user model comprising a model that utilizes, at least in part, information related to at least one selected from the group consisting of a user context, a user profile, and a user query result rule.
- (Original) The method of claim 10, providing the user-dependent query result information further comprising:

relaying the user-dependent query result information via at least one search result page indicator.

14. (Original) The method of claim 13, relaying the user-dependent query result information comprising:

displaying, automatically, at least one thumbnail relating to a search query result page in response to a selection of a corresponding search query result link by at least one user; and

navigating to a portion of the search query result page and turning ON at least one search result page indicator in response to an interaction with the thumbnail by the user.

- 15. (Original) The method of claim 13, the search result page indicator comprising at least one selected from the group consisting of a visual indicator and an aural indicator.
- (Original) The method of claim 15, the visual indicator comprising at least one selected from the group consisting of symbols, highlighting, color, intensity of color, geometric shape, and quantity of geometric shapes.
- (Original) The method of claim 10, providing the user-dependent query result information further comprising:

deriving at least part of the user-dependent query result information via evaluating at least one link provided by the query result. 18. (Previously Presented) The method of claim 17, evaluating at least one link comprising:

determining whether the link corresponds to at least one selected from the group consisting of a document with text and a document with links, based upon the percentage of at least one of text and link content type in the linked document.

- (Previously Presented) The method of claim 18, further including: providing an indicator for the link that indicates at least one selected from the group consisting of a text-content link and a link-content link.
- 20. (Currently Amended) A system <u>comprising computer executable instructions</u> embodied on <u>at least one of a computer readable media providing non-volatile storage or system memory storage medium</u> that facilitates search query results:

means for accepting at least one query result from at least one search service; and means for providing user-dependent query result information derived from the query result accepted by the client-side receiving component, the user-dependent query result information includes an indication of percentage of the quantity of a single content type as compared to a total of all content within at least one linked document in the query result partitioning the query result into a plurality of subparts, scoring each subpart for relevance based upon a user context, highlighting the subpart that has the highest score, automatically scrolling to the highlighted subpart, providing the automatically scrolled and highlighted user-dependent query result information derived from the query result, wherein the user-dependent query result information is at least one of stored on a computer readable media storage medium, displayed on a display device, employed by one or more processes executed on one or more processors, or transmitted between two or more processes executing on one or more processors.

 (Previously Presented) A user interface embodied on a computer readable storage medium, comprising:

an interface adapted to communicate enhanced search query results to a user;

at least one input associated with the interface to provide information related to at least one search query result; and

at least one output presented on a display device to indicate user-dependent search query result information; the output utilizing, at least in part, a thumbnail view to convey the information, the thumbnail view includes highlighting of relevant content in the at least one search query result, the relevance based upon a current context of the user, the current user context is inferred based upon automated monitoring of actions relating to a task that the user is currently performing.

- (Original) The interface of claim 21, the input comprising user-model information utilized to provide enhanced search query results for the output.
- (Original) The interface of claim 21, the input comprising at least one selection of at least one search query result.
- 24. (Original) The interface of claim 21, the output comprising an interactive output that responds to a user selection within the thumbnail view.
- 25. (Original) The interface of claim 21, the output comprising at least one indicator of whether a search query result link is at least one selected from the group consisting of a text-content link and a link-content link.
  - (Cancelled)
  - (Cancelled)
- (Original) A device employing the method of claim 10 comprising at least one selected from the group consisting of a computer, a server, and a handheld electronic device.

29. (Original) A device employing the system of claim 1 comprising at least one selected from the group consisting of a computer, a server, and a handheld electronic device.